

B&H

Federal/GSA

Government, Education & Corporate

Students/Educators

My Account

Help Center

Live Chat



The Professional's Source

866.284.0272 / 212.560.3269

Cart:

(0) items - \$0.00

[Wish List](#) [Track Order](#)

search

GO

☐ search Used only[Shop by Brand](#) [Gift Cards](#) [Rebates](#)[Audio Professional](#) | [A/V Presentation](#) | [Binoculars & Scopes](#) | [Camcorders](#) | [Cameras & Photo Gear](#) | [Computers](#) | [Darkroom](#) | [Digital Photography](#)
[Film, Tapes, Media](#) | [Lighting & Studio](#) | [Portable Entertainment](#) | [Surveillance](#) | [TVs & Entertainment](#) | [Underwater Equipment](#) | [Video Professional](#) | [Used Store](#)[Home](#) [Search: Canon 5 D II](#) [Photography](#) [SLR Digital Cameras](#)

Canon EOS 5D Mark II Digital Camera (Body Only)

[email](#) [print](#)[Prev](#) | (1 of 74) | [Next](#)

Canon

[MORE IMAGES](#) [ITEM DEMO](#) [VIEW IN 3D](#)

Product Highlights

- 21.1 Megapixel Full-Frame Sensor
- 3.0" High Resolution LCD Display
- Live View Mode
- 1080p Movie Mode
- Dust & Weather-Resistant
- Self Cleaning Sensor
- Broad ISO Range (50-25600)
- 3.9 fps Burst Mode

B&H # CAE5D2
Mfr# 2764B003(897 reviews) [write a review](#)Price: **\$2,499.00**[Free Shipping \(USA\)](#)

IN STOCK

[Get \\$100 Off Adobe Photoshop Lightroom](#)

3

When Purchased Together With This Item

Rebates: [pdf]

[B&H Exclusive Rebate Available \\$500 Conditional Mail-in-Rebate when purchased together with Canon PIXMA Pro9500 Mk II printer](#)
offer ends 03/31/2011

[B&H Exclusive Rebate Available \\$400 Conditional Mail-in-Rebate when purchased together with PIXMA Pro9000 Mk II printer](#)
offer ends 03/31/2011

[No payments. No interest if paid in full in 6 Months. On orders over \\$250. Subject to credit approval. See Terms](#)

Buy Together & Save

Protect Your Purchase

[Learn More](#)

- ☐ 3-Year: \$274.99
- ☐ 5-Year: \$549.98 **best value!**
- ☐ No coverage

1

[ADD TO CART](#)[ADD TO WISHLIST](#)

What item is right for you?

[Ask our Experts!](#)

866.284.0272

[Live Chat](#)

Remember the Essentials

A lens and memory card are not included with the camera.

Get the type of [lens](#) for the shot you need, and a high-capacity [memory card](#) so you don't get caught without memory.

[Overview](#)[Specifications](#)[Customer Reviews](#)[Accessories](#)[Guides & Manuals](#)

Go To

Camera Type	SLR Digital Camera
Imaging	
Resolution	Effective: 22.0MP, Recorded: 21.1MP
Sensor	36 x 24mm CMOS
Bit Depth	14-bit
File Formats	RAW, JPEG, QuickTime
File Size	Not Specified By Manufacturer
Color Spaces	sRGB, Adobe RGB

Required/Recommended Accessories

A lens is not included. Get the type of lens for the shot you need.



Canon - Zoom Wide Angle-Telephoto EF 24-70mm f/2.8L USM Autofocus Lens
Price: \$1,329.00

[view more](#)[Add to Cart](#) | [Add to Wishlist](#)

Memory is not included so be sure to have enough storage capacity.



SanDisk - 8GB Extreme CompactFlash Memory Card
Price: \$69.95

Image Stabilization	Body: No
Crop Factor	None

Optics

Lens	No
Zoom	N/A
Lens Mount	Canon EF mount
Focus Type	Auto and Manual Focus
Focus Range	N/A
Accessory Lens/Filter Mount	N/A

Shooting Controls

Sensitivity	ISO 100-6400 (expandable to 50, 12800, and 25600)
Shutter Speeds	1/8000 - 30 sec, bulb
Metering	Evaluative, Partial, Spot, Center-Weighted Average
Exposure Modes	Manual, Shutter-priority, Aperture-Priority, Program, Auto, Creative Auto
White Balance	Auto, Day Light, Shade, Cloudy, Tungsten, Fluorescent, Flash, Custom, Kelvin
Mirror Lock-Up	Yes
Burst Capability	3.9 fps Continuous Shooting
Self Timer	10 seconds or 2 seconds
Interval Recording 1	No
Remote Control	Yes, optional N3-type remote

Flash

Built-in Flash	No
Effective Flash Range	N/A
External Flash Connection	Hotshoe, PC terminal
Dedicated Flash System	Canon Speedlite EX-series
Max Sync Speed	1/200 sec.

Memory

Built-in Memory	No
Memory Card Type	CompactFlash I/II
Still Images per GB	RAW: 39 sRAW1: 69 sRAW2: 94 JPEG: High Res:167 - Low Res:1,024

A/V Recording

Video Recording	Video with Audio, NTSC & PAL Output
Video Resolution	NTSC 1920 x 1080 @ 30fps 1920 x 1080 @ 24fps 640 x 480 @ 30fps PAL 1920 x 1080 @ 25fps 1920 x 1080 @ 24fps 640 x 480 @ 25fps
Video Clip Length	12 min. HD / 24 min. SP for 4GB
Audio Recording	With video only

[view more](#)
[Add to Cart](#) | [Add to Wishlist](#)

Always keep a spare battery handy so you won't get caught without power.



Canon - LP-E6 Rechargeable Lithium-Ion Battery Pack (7.2V, 1800mAh)
Price: \$59.95

[view more](#)
[Add to Cart](#) | [Add to Wishlist](#)


Pearstone - LP-E6 Lithium-Ion Battery Pack (7.4V, 1450mAh)
Price: \$34.95

[view more](#)
[Add to Cart](#) | [Add to Wishlist](#)

Get a flash to add light to your picture.



Canon - Speedlite 580EX II
Price: \$474.00

[view more](#)
[Add to Cart](#) | [Add to Wishlist](#)

Carry, store, and protect all your equipment with a bag or case.



Canon - Deluxe Backpack 200 EG
Price: \$39.95

[view more](#)
[Add to Cart](#) | [Add to Wishlist](#)

Get a better grip for vertical shots and add battery life.



Canon - BG-E6 Battery Grip
Price: \$239.00

[view more](#)
[Add to Cart](#) | [Add to Wishlist](#)


Vello - BG-C2 Battery Grip for Canon 5D Mark II
Price: \$69.95

[view more](#)
[Add to Cart](#) | [Add to Wishlist](#)
[View all Accessories](#)

HDSLR Audio & Video Related Accessories

What's in the Box

Canon EOS 5D Mark II Digital Camera (Body Only)

- [LP-E6 Rechargeable Lithium-Ion Battery Pack \(7.2V, 1800mAh\)](#)
- [LC-E6 Battery Charger](#)
- [STV-250N Mini A/V Angled Male to 3 RCA Male A/V Cable](#)
- [Eyecup Eb](#)
- [R-F-3 Camera Cover](#)
- [Wide Neck Strap EW-EOS5DMKII](#)
- IFC-200U USB Cable
- EOS Digital Solutions CD-ROM
- User's Guide
- 1-Year Canon U.S.A. Limited Warranty

Viewfinder/Display

Viewfinder Type	Eye-level Pentaprism
Viewfinder Coverage	98%
Display	3" LCD

Connectivity/System Requirements

Connectivity	USB 2.0 (mini-B), A/V Out, HDMI (Type C), Stereo mini input, Dedicated port for optional Wireless WFT-E4/E4A
System & Software Requirements	Windows 2000, XP, Vista Macintosh OS X (10.3-10.4.x)

Environmental

Operating/Storage Temperature	Operating Temperature: 32-104°F/0-40°C Humidity: 85% or less
Weatherproofing	<i>Not Specified By Manufacturer</i>
Durability	<i>Not Specified By Manufacturer</i>

Power

Battery Type	LP-E6 Lithium-ion Battery
Power Adapter	AC Adapter Kit ACK-E6 (optional)

Physical

Dimensions	6.0 x 4.5 x 3.0" (152.0 x 113.5 x 75.0mm)
Weight	28.6oz. (810g) <i>body only</i>

See any errors on this page? [Let us know.](#)

Sign up for B&H news and special offers

email address

Next

send us your feedback

Sales

866.284.0272 or 212.560.3269

Customer Service

800.221.5743 or 212.239.7765

Hours of Operation**Directions to our NY SuperStore****Live Chat****Help**

Contact Us
Track/Request a Return
Return Policy
Unsubscribe from Catalog
Unsubscribe from Email
Shipping & Delivery
Payments
All Help Topics



B&H Gift Card

International

Brasil Site
Shipping
Payments
Customs

Choose Currency:

US Dollar

Company Information

About Us
NY Superstore
The Event Space
B&H Upcoming Events
Online Awards
Imaging Partners
Affiliate Program
Career Opportunities

Resources

B&H Videos
B&H Insights Blog
External Resources
Manufacturers Directory
B&H Sourcebooks & Catalogs



**Browse our
Winter 2011
Interactive
Catalog**

Please note that B&H does not process web orders from Friday evening to Saturday evening. [weekend hours](#)

Follow B&H

[Facebook](#) [Twitter](#) [YouTube](#)

© 2000-2011 B & H Foto & Electronics Corp.

[Privacy & Security](#) [User Agreement & Disclaimer](#) [California Privacy Rights](#) [Site Map](#)

Prices, specifications, and images are subject to change without notice. Not responsible for typographical or illustrative errors.
Manufacturer rebates, terms, conditions, and expiration dates are subject to manufacturers printed forms



